ASSESSOR'S RECORD MAP

128-10

SONTERRA AT WILLIAMS CENTRE A CONDOMINIUM
LOTS (2101-16308) & COMMON AREA A & C
LINE TABLE

(RESUB 39/28 M&P)

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]		
LINE	LENGTH	BEARING
CL1	[illegible]	[illegible]
CL2	17.44	[illegible]
CL3	[illegible]	[illegible]
CL4	[illegible]	[illegible]
CL5	21.47	[illegible]
CL6	[illegible]	[illegible]
CL7	[illegible]	[illegible]
CL8	[illegible]	[illegible]
CL9	[illegible]	[illegible]
CL10	[illegible]	[illegible]
CL11	[illegible]	[illegible]
CL12	46.73	[illegible]
CL13	[illegible]	[illegible]
CL14	[illegible]	[illegible]
CL15	[illegible]	[illegible]
CL16	[illegible]	[illegible]
CL17	[illegible]	[illegible]
CL18	[illegible]	[illegible]
CL19	[illegible]	[illegible]
CL20	6.64	[illegible]
CL21	[illegible]	[illegible]
CL22	[illegible]	[illegible]
CL23	[illegible]	[illegible]
CL24	[illegible]	[illegible]
CL25	[illegible]	[illegible]
CL26	[illegible]	[illegible]
CL27	[illegible]	[illegible]
CL28	[illegible]	[illegible]
CL29	[illegible]	[illegible]
CL30	[illegible]	[illegible]
CL31	[illegible]	[illegible]
CL32	[illegible]	[illegible]
CL33	[illegible]	[illegible]
CL34	14.78	[illegible]
CL35	6.97	[illegible]
CL36	[illegible]	[illegible]
CL37	[illegible]	[illegible]
CL38	2.48	[illegible]

SEE BOOK 60 PAGE 065 M&P

S14,T14S,R14E

NO SCALE

FEET

"ELECTRONIC DATA PROVIDED"